

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	91	((SIMD) (single adj instruction adj multiple adj data)) with class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 11:30
L9	29	((SIMD) (single adj instruction adj multiple adj data)) with class and compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 12:02
L10	10	((SIMD) (single adj instruction adj multiple adj data)) with ((intermediate adj code) (intermediate adj language) (object adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 12:03
S1	82	compil\$4 same pars\$4 same optimiz\$4 same intermediate and (@ad<"20020802" @prad<"20020802" @rlad<"20020802")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/26 13:25
S3	22	compil\$4 same pars\$4 same optimiz\$4 same intermediate and simd and (@ad<"20020802" @prad<"20020802" @rlad<"20020802")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/26 13:25
S5	35	(convert\$4 translat\$4 trasform\$4 chang\$4) with ((source adj code) (source adj program) (program) (code)) with intermediate adj code with (machine adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 14:26
S6	47	operation adj definition adj information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 14:27
S7	4	operation adj definition adj information and compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 14:27

EAST Search History

S8	18	(convert\$4 translat\$4 trasform\$4 chang\$4) with ((source adj code) (source adj program) (program) (code)) with intermediate adj code and header adj file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 14:47
S9	3	(substitut\$4 replac\$) with (intermediate adj code) with (machine adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 14:51
S10	12	(substitut\$4 replac\$) with (intermediate adj code) with (language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 15:01
S11	1	(class adj library) with (replac\$4 substitut\$4) with (machine adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 15:02
S13	25	((class) (routine) (module) class adj library) same (replac\$4 substitut\$4) with ((machine adj code) (machine adj language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 15:07
S14	180	(replac\$4 substitut\$4) with ((machine adj code) (machine adj language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 15:07
S15	100	S14 and compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 15:08
S16	25	S15 and intermediate adj code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 15:08

EAST Search History

S17	49	S15 and ((assembly adj code) (intermediate adj code) (object adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 16:05
S18	19	(substitut\$4 replac\$4) with ((intermediate adj code) (object adj code)) same ((machine adj language) (machine adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 16:09
S21	26	(substitut\$4 replac\$4) with ((intermediate adj code) (intermediate adj language) (object adj code)) same ((machine adj language) (machine adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 16:41
S22	33	(substitut\$4 replac\$4) same ((intermediate adj code) (intermediate adj language) (object adj code)) same ((machine adj language) (machine adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 16:41
S23	7	S22 not S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 17:17
S24	5	header adj file same ((machine adj program) (machine adj code) (machine adj language)) same ((intermediate adj code) (object adj code) (language adj processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 17:23
S25	40	header adj file and (((machine adj program) (machine adj code) (machine adj language)) same ((intermediate adj code) (object adj code) (language adj processor)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 17:23
S26	33	S25 not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 17:35

EAST Search History

S27	9	((intermediate adj code) (intermediate adj language) (object adj code)) with (SIMD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 17:38
S28	10	((intermediate adj code) (intermediate adj language) (object adj code)) with ((single adj instruction adj multiple adj data) (SIMD))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 17:40
S29	1	S28 not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 17:39
S30	98	compil\$4 with ((single adj instruction adj multiple adj data) (SIMD))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 17:45
S32	2	(detect\$4 identif\$4 determin\$4) with ((single adj instruction adj multiple adj data) (SIMD)) same (intermediate adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 17:46
S34	1	(detect\$4 identif\$4 determin\$4) with ((single adj instruction adj multiple adj data) (SIMD)) same (object adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 17:47
S36	7	(header adj file) with source adj (code program) same (intermediate adj (code language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 17:47